

comment@boardmantoemingway.com

From: Tom Phillips <tomtpa7@gmail.com>
Sent: Thursday, March 12, 2015 2:03 PM
To: comment@boardmantoemingway.com
Cc: Pat Phillips
Subject: Comment on Boardman to Hemmingway Line
Attachments: B2H Pat' comments.pdf

I have attached my comments on the Boardman to Hemmingway line.

Thank you,

Pat Phillips

Pat Phillips

From: Pat Phillips <pat@tomphillipsagency.com>
Sent: Thursday, March 12, 2015 11:30 AM
To: comment@boardmantohemingway.com
Cc: pat@tomphillipsagency.com
Subject: website comment

From Patricia Phillips, 190 SW 4th Ave., Ontario, OR 97914 541 889-8401 *pat@*[@tomphillipsagency.com](mailto:pat@tomphillipsagency.com)

Re: B2H Transmission line

It is my understanding that deadline for these comments is 3/19/2015, and that if I don't comment before 3/19, I will not be allowed to comment further. This is my comment:

IF, I repeat, IF the recommended line as it was presented to the public in January, 2015, in Ontario, stays the same, then this Malheur County citizen has no problem with it. Be aware of why we are wary, and that is because the information given to this average Mal Co citizen is always changing. First IP doesn't need this power; it will just be used for "wheeling" or moving power to where needed; now IP needs power, but IP doesn't want to pay solar suppliers and prefers to continue to use the hydroelectric (nongreen) sources, which the public also provided, or to use other natural resource dependent sources, such as coal fired or gas fired. At first, BLM was concerned (2008) about sage hen leks, now we have another clarification of the breeding/nesting grounds of sage hens. All reports should come with a glossary of acronyms spelled out, because as these entities are undoubtedly aware, the entities talk in a language not commonly used by the general public and without a glossary of terms the general public easily is lost. I would hate to think that is "mission accomplished".

Thank you for taking this comment.